

## ACCESSORIES

## SWITCHES AND SOCKETS

## Product catalogue

A modular Switch and Socket system that can be combined based on your requirements, offer practical solutions for many different situations. Specific socket types allow worldwide use. Thanks to the small sizes, the system is very well suited for the use in furniture. Areas of application are for example hotels, shop fittings, bedrooms furniture, living rooms and kitchens.

## CONTENTS

## 35 PRODUCTS

|    |                                   |            |
|----|-----------------------------------|------------|
| 01 | Socket box Mini with switch       | 39.556.151 |
| 02 | USB – Switch – Socketbox          | 39.477.006 |
| 03 | Surface Mounted ON / OFF Switch   | 39.107.01  |
| 04 | Recessed ON / OFF Switch          | 39.024.01  |
| 05 | Recessed Electric Socket          | 39.025.01  |
| 06 | Recessed Electric Socket 2 – fold | 39.025.221 |
| 07 | Recessed Electric Socket 3 – fold | 39.032.231 |
| 08 | Switch – Socket Combination       | 39.018.21  |
| 09 | Switch – Socket Combination       | 39.072.221 |
| 10 | Switch – Socket Combination       | 39.073.231 |
| 11 | Switch – Socket Combination       | 39.074.231 |
| 12 | Faceplate                         | 19.067.11  |
| 13 | Faceplate                         | 19.067.21  |
| 14 | Faceplate                         | 19.067.31  |
| 15 | Faceplate with Flap Cover         | 19.066.21  |
| 16 | Off – Switch, single pole         | 19.065.01  |
| 17 | Off – Switch, double pole         | 19.065.21  |
| 18 | Intermediate Switch               | 19.065.61  |
| 19 | Push – Button                     | 19.065.41  |

|    |                                   |            |
|----|-----------------------------------|------------|
| 20 | Changeover Switch                 | 19.065.11  |
| 21 | Series Switch                     | 19.065.51  |
| 22 | Safety Electric Socket            | 19.066.01  |
| 23 | Electric Socket 10 A, Switzerland | 19.194.001 |
| 24 | Electric Socket 16 A, Switzerland | 19.194.101 |
| 25 | Electric Socket, Great Britain    | 19.227.001 |
| 26 | Electric Socket, Belgium / France | 19.220.001 |
| 27 | Spacer Faceplate                  | 19.229.001 |
| 28 | Blank Cover                       | 19.230.001 |
| 29 | Surface Mounted Housing, flat     | 19.064.01  |
| 30 | Surface Mounted Housing, deep     | 19.064.11  |
| 31 | Contact Protection Box            | 19.068.10  |
| 32 | Contact Protection Box            | 19.068.20  |
| 33 | Contact Protection Box            | 19.068.30  |
| 34 | CEE Multi – Socket Strip          | 39.010.01  |
| 35 | Multi – Socket Strip              | 39.122.341 |

SWITCHES AND SOCKETS

SOCKET BOX MINI WITH SWITCH

|                                                                                   |               |  |
|-----------------------------------------------------------------------------------|---------------|--|
|  | INPUT VOLTAGE |  |
|                                                                                   | 250 Volt AC   |  |

TECHNICAL DATA


|                 |                                                                         |
|-----------------|-------------------------------------------------------------------------|
| Input voltage   | 250 Volt AC                                                             |
| Drivers Wattage | 15 Watt                                                                 |
| Output voltage  | 12 Volt DC                                                              |
| Type            | 1000 mm mains lead with wire end ferrule<br>500 mm lead with LED socket |
| Dimensions      | 74 x 46 x 59 mm                                                         |
| Housing colour  | white, black                                                            |
| Installation    | screw fixing                                                            |
| Remarks         | type F socket „Schuko“, switch for integrated LED transformer           |
| Waste disposal  | through suitable disposal site                                          |

Subject to technical modifications. Special lengths and customized versions are available upon request.

VARIANTS

| ORDER NO.  | HOUSING COLOUR                         |
|------------|----------------------------------------|
| 39.556.151 | <input type="radio"/> white            |
| 39.556.153 | <input checked="" type="radio"/> black |

## DIMENSIONAL DRAWING

**74 x 46 x 59 mm**

SWITCHES AND SOCKETS

USB – SWITCH – SOCKETBOX

|                                                                                   |                    |  |
|-----------------------------------------------------------------------------------|--------------------|--|
|  | INPUT VOLTAGE      |  |
|                                                                                   | <b>230</b> Volt AC |  |

TECHNICAL DATA


|                  |                                                  |
|------------------|--------------------------------------------------|
| Input voltage    | <b>230 Volt AC</b>                               |
| Output voltage   | <b>5 Volt DC (USB charging socket)</b>           |
| Charging current | <b>max. 2.1 Ampere</b>                           |
| Type             | <b>800 mm mains lead with wire end ferrule</b>   |
| Dimensions       | <b>144 x 45 x 61 mm</b>                          |
| Housing colour   | <b>silver / black</b>                            |
| Installation     | <b>screw fixing</b>                              |
| Remarks          | <b>type F socket „Schuko“, USB socket type A</b> |

Subject to technical modifications. Special lengths and customized versions are available upon request.

VARIANTS

| ORDER NO.         | TYPE                                                             |
|-------------------|------------------------------------------------------------------|
| <b>39.477.006</b> | <b>power supply not included</b>                                 |
| <b>39.477.186</b> | <b>transformer 12 Volt DC / 18 Watt / 3-fold LED distributor</b> |
| <b>39.477.406</b> | <b>transformer 12 Volt DC / 40 Watt / 3-fold LED distributor</b> |

## DIMENSIONAL DRAWING

**144 x 45 x 61 mm**

SWITCHES AND SOCKETS

SURFACE MOUNTED ON / OFF SWITCH

|                                                                                   |                 |               |
|-----------------------------------------------------------------------------------|-----------------|---------------|
|  | WATTAGE         | INPUT VOLTAGE |
|                                                                                   | max. 2.5 Ampere | 230 Volt AC   |

TECHNICAL DATA


|                |                                                                            |
|----------------|----------------------------------------------------------------------------|
| Input voltage  | 230 Volt AC                                                                |
| Wattage        | max. 2.5 Ampere                                                            |
| Type           | 2000 mm feeder cable with CEE plug<br>500 mm mains cable with CEE coupling |
| Dimensions     | 60 x 60 x 31.2 mm                                                          |
| Housing colour | white, anthracite                                                          |
| Installation   | screw fixing                                                               |

Subject to technical modifications. Special lengths and customized versions are available upon request.

VARIANTS

|           |                                             |
|-----------|---------------------------------------------|
| ORDER NO. | HOUSING COLOUR                              |
| 39.107.01 | <input type="radio"/> white                 |
| 39.107.03 | <input checked="" type="radio"/> anthracite |

## DIMENSIONAL DRAWING



60 x 60 x 31.2 mm

## SWITCHES AND SOCKETS

## RECESSED ON / OFF SWITCH

|                                                                                   |                        |                    |
|-----------------------------------------------------------------------------------|------------------------|--------------------|
|  | WATTAGE                | INPUT VOLTAGE      |
|                                                                                   | <b>max. 2.5</b> Ampere | <b>230</b> Volt AC |

## TECHNICAL DATA


|                     |                                                                            |
|---------------------|----------------------------------------------------------------------------|
| Input voltage       | 230 Volt AC                                                                |
| Wattage             | max. 2.5 Ampere                                                            |
| Type                | 2000 mm feeder cable with CEE plug<br>500 mm mains cable with CEE coupling |
| Dimensions          | 60 x 60 x 45 mm                                                            |
| Built-in dimensions | Ø 45 x 36 mm                                                               |
| Housing colour      | white, anthracite, bright chrome, matt chrome, stainless steel             |
| Installation        | screw fixing                                                               |

Subject to technical modifications. Special lengths and customized versions are available upon request.

## VARIANTS

| ORDER NO.        | HOUSING COLOUR                              |
|------------------|---------------------------------------------|
| <b>39.024.01</b> | <input type="radio"/> white                 |
| <b>39.024.03</b> | <input checked="" type="radio"/> anthracite |
| <b>39.024.04</b> | <input type="radio"/> bright chrome         |
| <b>39.024.06</b> | <input type="radio"/> matt chrome           |
| <b>39.024.09</b> | <input type="radio"/> stainless steel       |

## DIMENSIONAL DRAWING

**60 x 60 x 45 mm**

SWITCHES AND SOCKETS

RECESSED ELECTRIC SOCKET

|                                                                                   |                |               |
|-----------------------------------------------------------------------------------|----------------|---------------|
|  | WATTAGE        | INPUT VOLTAGE |
|                                                                                   | max. 16 Ampere | 230 Volt AC   |

TECHNICAL DATA


|                     |                                                                |
|---------------------|----------------------------------------------------------------|
| Input voltage       | 230 Volt AC                                                    |
| Wattage             | max. 16 Ampere                                                 |
| Type                | 2000 mm feeder cable with earthed safety plug                  |
| Dimensions          | 60 x 60 x 47 mm                                                |
| Built-in dimensions | Ø 49 x 38 mm                                                   |
| Housing colour      | white, anthracite, bright chrome, matt chrome, stainless steel |
| Installation        | screw fixing                                                   |

Subject to technical modifications. Special lengths and customized versions are available upon request.

VARIANTS

| ORDER NO. | HOUSING COLOUR                              |
|-----------|---------------------------------------------|
| 39.025.01 | <input type="radio"/> white                 |
| 39.025.03 | <input checked="" type="radio"/> anthracite |
| 39.025.04 | <input type="radio"/> bright chrome         |
| 39.025.06 | <input type="radio"/> matt chrome           |
| 39.025.09 | <input type="radio"/> stainless steel       |

## DIMENSIONAL DRAWING

**60 x 60 x 47 mm**

## SWITCHES AND SOCKETS

## RECESSED ELECTRIC SOCKET 2 – FOLD

|                                                                                   |                       |                    |
|-----------------------------------------------------------------------------------|-----------------------|--------------------|
|  | WATTAGE               | INPUT VOLTAGE      |
|                                                                                   | <b>max. 16</b> Ampere | <b>230</b> Volt AC |

## TECHNICAL DATA


|                     |                                                                |
|---------------------|----------------------------------------------------------------|
| Input voltage       | 230 Volt AC                                                    |
| Wattage             | max. 16 Ampere                                                 |
| Type                | 2000 mm feeder cable with earthed safety plug                  |
| Dimensions          | 120 x 60 x 47 mm                                               |
| Built-in dimensions | 110 x 50 x 39 mm                                               |
| Housing colour      | white, anthracite, bright chrome, matt chrome, stainless steel |
| Installation        | screw fixing                                                   |

Subject to technical modifications. Special lengths and customized versions are available upon request.

## VARIANTS

| ORDER NO.         | HOUSING COLOUR                              |
|-------------------|---------------------------------------------|
| <b>39.025.221</b> | <input type="radio"/> white                 |
| <b>39.025.223</b> | <input checked="" type="radio"/> anthracite |
| <b>39.025.224</b> | <input type="radio"/> bright chrome         |
| <b>39.025.226</b> | <input type="radio"/> matt chrome           |
| <b>39.025.229</b> | <input type="radio"/> stainless steel       |

## DIMENSIONAL DRAWING



120 x 60 x 47 mm

## SWITCHES AND SOCKETS

## RECESSED ELECTRIC SOCKET 3 – FOLD

|                                                                                   |                       |                    |
|-----------------------------------------------------------------------------------|-----------------------|--------------------|
|  | WATTAGE               | INPUT VOLTAGE      |
|                                                                                   | <b>max. 16</b> Ampere | <b>230</b> Volt AC |

## TECHNICAL DATA


|                     |                                                                |
|---------------------|----------------------------------------------------------------|
| Input voltage       | 230 Volt AC                                                    |
| Wattage             | max. 16 Ampere                                                 |
| Type                | 2000 mm feeder cable with earthed safety plug                  |
| Dimensions          | 180 x 60 x 47 mm                                               |
| Built-in dimensions | 169 x 50 x 39 mm                                               |
| Housing colour      | white, anthracite, bright chrome, matt chrome, stainless steel |
| Installation        | screw fixing                                                   |

Subject to technical modifications. Special lengths and customized versions are available upon request.

## VARIANTS

| ORDER NO.         | HOUSING COLOUR                              |
|-------------------|---------------------------------------------|
| <b>39.032.231</b> | <input type="radio"/> white                 |
| <b>39.032.233</b> | <input checked="" type="radio"/> anthracite |
| <b>39.032.234</b> | <input type="radio"/> bright chrome         |
| <b>39.032.236</b> | <input type="radio"/> matt chrome           |
| <b>39.032.239</b> | <input type="radio"/> stainless steel       |

## DIMENSIONAL DRAWING

**180 x 60 x 47 mm**

## SWITCHES AND SOCKETS

## SWITCH – SOCKET COMBINATION



## WATTAGE

Switch max. 2.5 Ampere

## INPUT VOLTAGE

230 Volt AC

## TECHNICAL DATA


|                     |                                                                                       |
|---------------------|---------------------------------------------------------------------------------------|
| Input voltage       | 230 Volt AC                                                                           |
| Wattage             | Switch max. 2.5 Ampere<br>Socket max. 16 Ampere                                       |
| Type                | 2000 mm feeder cable with earthed safety plug<br>500 mm mains cable with CEE coupling |
| Dimensions          | 120 x 60 x 47 mm                                                                      |
| Built-in dimensions | 110 x 50 x 39 mm                                                                      |
| Housing colour      | white, anthracite, bright chrome, matt chrome, stainless steel                        |
| Installation        | screw fixing                                                                          |

Subject to technical modifications. Special lengths and customized versions are available upon request.

## VARIANTS

| ORDER NO. | HOUSING COLOUR                              |
|-----------|---------------------------------------------|
| 39.018.21 | <input type="radio"/> white                 |
| 39.018.23 | <input checked="" type="radio"/> anthracite |
| 39.018.24 | <input type="radio"/> bright chrome         |
| 39.018.26 | <input type="radio"/> matt chrome           |
| 39.018.29 | <input type="radio"/> stainless steel       |

## DIMENSIONAL DRAWING

**120 x 60 x 47 mm**

## SWITCHES AND SOCKETS

## SWITCH – SOCKET COMBINATION

|                                                                                   |                        |               |
|-----------------------------------------------------------------------------------|------------------------|---------------|
|  | WATTAGE                | INPUT VOLTAGE |
|                                                                                   | Switch max. 2.5 Ampere | 230 Volt AC   |

## TECHNICAL DATA


|                     |                                                                                       |
|---------------------|---------------------------------------------------------------------------------------|
| Input voltage       | 230 Volt AC                                                                           |
| Wattage             | Switch max. 2.5 Ampere<br>Socket max. 16 Ampere                                       |
| Type                | 2000 mm feeder cable with earthed safety plug<br>500 mm mains cable with CEE coupling |
| Dimensions          | 120 x 60 x 47 mm                                                                      |
| Built-in dimensions | 110 x 50 x 39 mm                                                                      |
| Housing colour      | white, anthracite, bright chrome, matt chrome, stainless steel                        |
| Installation        | screw fixing                                                                          |
| Remarks             | socket with flap cover                                                                |

Subject to technical modifications. Special lengths and customized versions are available upon request.

## VARIANTS

| ORDER NO.  | HOUSING COLOUR                              |
|------------|---------------------------------------------|
| 39.072.221 | <input type="radio"/> white                 |
| 39.072.223 | <input checked="" type="radio"/> anthracite |
| 39.072.224 | <input type="radio"/> bright chrome         |
| 39.072.226 | <input type="radio"/> matt chrome           |
| 39.072.229 | <input type="radio"/> stainless steel       |

## DIMENSIONAL DRAWING

**120 x 60 x 47 mm**

## SWITCHES AND SOCKETS

## SWITCH – SOCKET COMBINATION

|                                                                                   |                        |               |
|-----------------------------------------------------------------------------------|------------------------|---------------|
|  | WATTAGE                | INPUT VOLTAGE |
|                                                                                   | Switch max. 2.5 Ampere | 230 Volt AC   |

## TECHNICAL DATA


|                     |                                                                                       |
|---------------------|---------------------------------------------------------------------------------------|
| Input voltage       | 230 Volt AC                                                                           |
| Wattage             | Switch max. 2.5 Ampere<br>Sockets max. 16 Ampere combined                             |
| Type                | 2000 mm feeder cable with earthed safety plug<br>500 mm mains cable with CEE coupling |
| Dimensions          | 180 x 60 x 47 mm                                                                      |
| Built-in dimensions | 169 x 50 x 39 mm                                                                      |
| Housing colour      | white, anthracite, bright chrome, matt chrome, stainless steel                        |
| Installation        | screw fixing                                                                          |

Subject to technical modifications. Special lengths and customized versions are available upon request.

## VARIANTS

| ORDER NO.  | HOUSING COLOUR                              |
|------------|---------------------------------------------|
| 39.073.231 | <input type="radio"/> white                 |
| 39.073.233 | <input checked="" type="radio"/> anthracite |
| 39.073.234 | <input type="radio"/> bright chrome         |
| 39.073.236 | <input type="radio"/> matt chrome           |
| 39.073.239 | <input type="radio"/> stainless steel       |

## DIMENSIONAL DRAWING

**180 x 60 x 47 mm**

## SWITCHES AND SOCKETS

## SWITCH – SOCKET COMBINATION

|                                                                                   |                        |               |
|-----------------------------------------------------------------------------------|------------------------|---------------|
|  | WATTAGE                | INPUT VOLTAGE |
|                                                                                   | Switch max. 2.5 Ampere | 230 Volt AC   |

## TECHNICAL DATA


|                     |                                                                                       |
|---------------------|---------------------------------------------------------------------------------------|
| Input voltage       | 230 Volt AC                                                                           |
| Wattage             | Switch max. 2.5 Ampere<br>Sockets max. 16 Ampere combined                             |
| Type                | 2000 mm feeder cable with earthed safety plug<br>500 mm mains cable with CEE coupling |
| Dimensions          | 180 x 60 x 47 mm                                                                      |
| Built-in dimensions | 169 x 50 x 39 mm                                                                      |
| Housing colour      | white, anthracite, bright chrome, matt chrome, stainless steel                        |
| Installation        | screw fixing                                                                          |
| Remarks             | sockets with flap cover                                                               |

Subject to technical modifications. Special lengths and customized versions are available upon request.

## VARIANTS


| ORDER NO.  | HOUSING COLOUR                              |
|------------|---------------------------------------------|
| 39.074.231 | <input type="radio"/> white                 |
| 39.074.233 | <input checked="" type="radio"/> anthracite |
| 39.074.234 | <input type="radio"/> bright chrome         |
| 39.074.236 | <input type="radio"/> matt chrome           |
| 39.074.239 | <input type="radio"/> stainless steel       |

## DIMENSIONAL DRAWING

**180 x 60 x 47 mm**

SWITCHES AND SOCKETS

FACEPLATE



TECHNICAL DATA


|            |                |
|------------|----------------|
| Type       | single         |
| Dimensions | 60 x 60 x 9 mm |

Subject to technical modifications. Special lengths and customized versions are available upon request.

VARIANTS


| ORDER NO. | HOUSING COLOUR                              |
|-----------|---------------------------------------------|
| 19.067.11 | <input type="radio"/> white                 |
| 19.067.13 | <input checked="" type="radio"/> anthracite |
| 19.067.14 | <input type="radio"/> bright chrome         |
| 19.067.16 | <input type="radio"/> matt chrome           |
| 19.067.19 | <input type="radio"/> stainless steel       |

## DIMENSIONAL DRAWING

**60 x 60 x 9 mm**

SWITCHES AND SOCKETS

FACEPLATE



TECHNICAL DATA


|            |                 |
|------------|-----------------|
| Type       | double          |
| Dimensions | 120 x 60 x 9 mm |

Subject to technical modifications. Special lengths and customized versions are available upon request.

VARIANTS

| ORDER NO. | HOUSING COLOUR                              |
|-----------|---------------------------------------------|
| 19.067.21 | <input type="radio"/> white                 |
| 19.067.23 | <input checked="" type="radio"/> anthracite |
| 19.067.24 | <input type="radio"/> bright chrome         |
| 19.067.26 | <input type="radio"/> matt chrome           |
| 19.067.29 | <input type="radio"/> stainless steel       |

## DIMENSIONAL DRAWING

**120 x 60 x 9 mm**

SWITCHES AND SOCKETS

FACEPLATE



TECHNICAL DATA


|            |                 |
|------------|-----------------|
| Type       | tripple         |
| Dimensions | 180 x 60 x 9 mm |

Subject to technical modifications. Special lengths and customized versions are available upon request.

VARIANTS

| ORDER NO. | HOUSING COLOUR                              |
|-----------|---------------------------------------------|
| 19.067.31 | <input type="radio"/> white                 |
| 19.067.33 | <input checked="" type="radio"/> anthracite |
| 19.067.34 | <input type="radio"/> bright chrome         |
| 19.067.36 | <input type="radio"/> matt chrome           |
| 19.067.39 | <input type="radio"/> stainless steel       |

## DIMENSIONAL DRAWING

**180 x 60 x 9 mm**

SWITCHES AND SOCKETS

# FACEPLATE WITH FLAP COVER



## TECHNICAL DATA


|            |                 |
|------------|-----------------|
| Type       | single          |
| Dimensions | 60 x 60 x 18 mm |

Subject to technical modifications. Special lengths and customized versions are available upon request.

## VARIANTS

| ORDER NO. | HOUSING COLOUR                              |
|-----------|---------------------------------------------|
| 19.066.21 | <input type="radio"/> white                 |
| 19.066.23 | <input checked="" type="radio"/> anthracite |
| 19.066.24 | <input type="radio"/> bright chrome         |
| 19.066.26 | <input type="radio"/> matt chrome           |
| 19.066.29 | <input type="radio"/> stainless steel       |

## DIMENSIONAL DRAWING

**60 x 60 x 18 mm**

## SWITCHES AND SOCKETS

## OFF – SWITCH, SINGLE POLE



## WATTAGE

**max. 10 Ampere or 100  
Watt LED power**

## INPUT VOLTAGE

**230** Volt AC

## TECHNICAL DATA


|               |                                      |
|---------------|--------------------------------------|
| Input voltage | 230 Volt AC                          |
| Wattage       | max. 10 Ampere or 100 Watt LED power |
| Type          | single pole                          |
| Dimensions    | 55.5 x 55.5 x 25.2 mm                |

Subject to technical modifications. Special lengths and customized versions are available upon request.

## VARIANTS

| ORDER NO.        | HOUSING COLOUR                              |
|------------------|---------------------------------------------|
| <b>19.065.01</b> | <input type="radio"/> white                 |
| <b>19.065.03</b> | <input checked="" type="radio"/> anthracite |
| <b>19.065.04</b> | <input type="radio"/> bright chrome         |
| <b>19.065.06</b> | <input type="radio"/> matt chrome           |
| <b>19.065.09</b> | <input type="radio"/> stainless steel       |

## DIMENSIONAL DRAWING



55.5 x 55.5 x 25.2 mm

## SWITCHES AND SOCKETS

## OFF – SWITCH, DOUBLE POLE



## WATTAGE

**max. 10 Ampere or 100  
Watt LED power**

## INPUT VOLTAGE

**230** Volt AC

## TECHNICAL DATA


|               |                                      |
|---------------|--------------------------------------|
| Input voltage | 230 Volt AC                          |
| Wattage       | max. 10 Ampere or 100 Watt LED power |
| Type          | double pole                          |
| Dimensions    | 55.5 x 55.5 x 25.2 mm                |

Subject to technical modifications. Special lengths and customized versions are available upon request.

## VARIANTS

| ORDER NO.        | HOUSING COLOUR                              |
|------------------|---------------------------------------------|
| <b>19.065.21</b> | <input type="radio"/> white                 |
| <b>19.065.23</b> | <input checked="" type="radio"/> anthracite |
| <b>19.065.24</b> | <input type="radio"/> bright chrome         |
| <b>19.065.26</b> | <input type="radio"/> matt chrome           |
| <b>19.065.29</b> | <input type="radio"/> stainless steel       |

## DIMENSIONAL DRAWING



55.5 x 55.5 x 25.2 mm

## SWITCHES AND SOCKETS

## INTERMEDIATE SWITCH



## WATTAGE

**max. 10 Ampere or 100  
Watt LED power**

## INPUT VOLTAGE

**230** Volt AC

## TECHNICAL DATA


|               |                                      |
|---------------|--------------------------------------|
| Input voltage | 230 Volt AC                          |
| Wattage       | max. 10 Ampere or 100 Watt LED power |
| Dimensions    | 55.5 x 55.5 x 25.2 mm                |

Subject to technical modifications. Special lengths and customized versions are available upon request.

## VARIANTS


| ORDER NO.        | HOUSING COLOUR                              |
|------------------|---------------------------------------------|
| <b>19.065.61</b> | <input type="radio"/> white                 |
| <b>19.065.63</b> | <input checked="" type="radio"/> anthracite |
| <b>19.065.64</b> | <input type="radio"/> bright chrome         |
| <b>19.065.66</b> | <input type="radio"/> matt chrome           |
| <b>19.065.69</b> | <input type="radio"/> stainless steel       |

## DIMENSIONAL DRAWING

**55.5 x 55.5 x 25.2 mm**

## SWITCHES AND SOCKETS

## PUSH – BUTTON



## WATTAGE

**max. 10 Ampere or 100  
Watt LED power**

## INPUT VOLTAGE

**230** Volt AC

## TECHNICAL DATA


|               |                                      |
|---------------|--------------------------------------|
| Input voltage | 230 Volt AC                          |
| Wattage       | max. 10 Ampere or 100 Watt LED power |
| Type          | single pole                          |
| Dimensions    | 55.5 x 55.5 x 25.2 mm                |

Subject to technical modifications. Special lengths and customized versions are available upon request.

## VARIANTS


| ORDER NO.        | HOUSING COLOUR                              |
|------------------|---------------------------------------------|
| <b>19.065.41</b> | <input type="radio"/> white                 |
| <b>19.065.43</b> | <input checked="" type="radio"/> anthracite |
| <b>19.065.44</b> | <input type="radio"/> bright chrome         |
| <b>19.065.46</b> | <input type="radio"/> matt chrome           |
| <b>19.065.49</b> | <input type="radio"/> stainless steel       |

## DIMENSIONAL DRAWING

**55.5 x 55.5 x 25.2 mm**

SWITCHES AND SOCKETS

CHANGEOVER SWITCH

|                                                                                   |                                      |               |
|-----------------------------------------------------------------------------------|--------------------------------------|---------------|
|  | WATTAGE                              | INPUT VOLTAGE |
|                                                                                   | max. 10 Ampere or 100 Watt LED power | 230 Volt AC   |

TECHNICAL DATA


|               |                                      |
|---------------|--------------------------------------|
| Input voltage | 230 Volt AC                          |
| Wattage       | max. 10 Ampere or 100 Watt LED power |
| Dimensions    | 55.5 x 55.5 x 25.2 mm                |

Subject to technical modifications. Special lengths and customized versions are available upon request.

VARIANTS

| ORDER NO. | HOUSING COLOUR                              |
|-----------|---------------------------------------------|
| 19.065.11 | <input type="radio"/> white                 |
| 19.065.13 | <input checked="" type="radio"/> anthracite |
| 19.065.14 | <input type="radio"/> bright chrome         |
| 19.065.16 | <input type="radio"/> matt chrome           |
| 19.065.19 | <input type="radio"/> stainless steel       |


## DIMENSIONAL DRAWING



55.5 x 55.5 x 25.2 mm

SWITCHES AND SOCKETS

SERIES SWITCH

|                                                                                   |                                      |               |
|-----------------------------------------------------------------------------------|--------------------------------------|---------------|
|  | WATTAGE                              | INPUT VOLTAGE |
|                                                                                   | max. 10 Ampere or 100 Watt LED power | 230 Volt AC   |

TECHNICAL DATA


|               |                                      |
|---------------|--------------------------------------|
| Input voltage | 230 Volt AC                          |
| Wattage       | max. 10 Ampere or 100 Watt LED power |
| Type          | two rockers                          |
| Dimensions    | 55.5 x 55.5 x 25.2 mm                |

Subject to technical modifications. Special lengths and customized versions are available upon request.

VARIANTS

| ORDER NO. | HOUSING COLOUR                              |
|-----------|---------------------------------------------|
| 19.065.51 | <input type="radio"/> white                 |
| 19.065.53 | <input checked="" type="radio"/> anthracite |
| 19.065.54 | <input type="radio"/> bright chrome         |
| 19.065.56 | <input type="radio"/> matt chrome           |
| 19.065.59 | <input type="radio"/> stainless steel       |

## DIMENSIONAL DRAWING

**55.5 x 55.5 x 25.2 mm**

SWITCHES AND SOCKETS

SAFETY ELECTRIC SOCKET

|                                                                                   |                |               |
|-----------------------------------------------------------------------------------|----------------|---------------|
|  | WATTAGE        | INPUT VOLTAGE |
|                                                                                   | max. 16 Ampere | 230 Volt AC   |

TECHNICAL DATA


|               |                       |
|---------------|-----------------------|
| Input voltage | 230 Volt AC           |
| Wattage       | max. 16 Ampere        |
| Dimensions    | 55.5 x 55.5 x 41.7 mm |

Subject to technical modifications. Special lengths and customized versions are available upon request.

VARIANTS

|           |                                             |
|-----------|---------------------------------------------|
| ORDER NO. | HOUSING COLOUR                              |
| 19.066.01 | <input type="radio"/> white                 |
| 19.066.03 | <input checked="" type="radio"/> anthracite |

## DIMENSIONAL DRAWING



55.5 x 55.5 x 41.7 mm

SWITCHES AND SOCKETS

# ELECTRIC SOCKET 10 A, SWITZERLAND

|                                                                                   |                       |                    |
|-----------------------------------------------------------------------------------|-----------------------|--------------------|
|  | WATTAGE               | INPUT VOLTAGE      |
|                                                                                   | <b>max. 10</b> Ampere | <b>230</b> Volt AC |

## TECHNICAL DATA


|               |                            |
|---------------|----------------------------|
| Input voltage | <b>230 Volt AC</b>         |
| Wattage       | <b>max. 10 Ampere</b>      |
| Dimensions    | <b>55.5 x 55.5 x 37 mm</b> |

Subject to technical modifications. Special lengths and customized versions are available upon request.

## VARIANTS

|                   |                                             |
|-------------------|---------------------------------------------|
| ORDER NO.         | VERSION                                     |
| <b>19.194.001</b> | <input type="radio"/> white                 |
| <b>19.194.003</b> | <input checked="" type="radio"/> anthracite |

## DIMENSIONAL DRAWING

**55.5 x 55.5 x 37 mm**

SWITCHES AND SOCKETS

ELECTRIC SOCKET 16 A, SWITZERLAND

|                                                                                   |                |               |
|-----------------------------------------------------------------------------------|----------------|---------------|
|  | WATTAGE        | INPUT VOLTAGE |
|                                                                                   | max. 16 Ampere | 230 Volt DC   |

TECHNICAL DATA


|               |                     |
|---------------|---------------------|
| Input voltage | 230 Volt AC         |
| Wattage       | max. 16 Ampere      |
| Dimensions    | 55.5 x 55.5 x 37 mm |

Subject to technical modifications. Special lengths and customized versions are available upon request.

VARIANTS

|            |                                             |
|------------|---------------------------------------------|
| ORDER NO.  | HOUSING COLOUR                              |
| 19.194.101 | <input type="radio"/> white                 |
| 19.194.103 | <input checked="" type="radio"/> anthracite |


## DIMENSIONAL DRAWING



55.5 x 55.5 x 37 mm

SWITCHES AND SOCKETS

ELECTRIC SOCKET, GREAT BRITAIN

|                                                                                   |                |               |
|-----------------------------------------------------------------------------------|----------------|---------------|
|  | WATTAGE        | INPUT VOLTAGE |
|                                                                                   | max. 13 Ampere | 230 Volt AC   |

TECHNICAL DATA


|               |                       |
|---------------|-----------------------|
| Input voltage | 230 Volt AC           |
| Wattage       | max. 13 Ampere        |
| Dimensions    | 55.5 x 55.5 x 29.5 mm |

Subject to technical modifications. Special lengths and customized versions are available upon request.

VARIANTS

|            |                                             |
|------------|---------------------------------------------|
| ORDER NO.  | HOUSING COLOUR                              |
| 19.227.001 | <input type="radio"/> white                 |
| 19.227.003 | <input checked="" type="radio"/> anthracite |

## DIMENSIONAL DRAWING

**55.5 x 55.5 x 29.5 mm**

SWITCHES AND SOCKETS

# ELECTRIC SOCKET, BELGIUM / FRANCE

|                                                                                   |                       |                    |
|-----------------------------------------------------------------------------------|-----------------------|--------------------|
|  | WATTAGE               | INPUT VOLTAGE      |
|                                                                                   | <b>max. 16</b> Ampere | <b>230</b> Volt AC |

## TECHNICAL DATA


|               |                              |
|---------------|------------------------------|
| Input voltage | <b>230 Volt AC</b>           |
| Wattage       | <b>max. 16 Ampere</b>        |
| Dimensions    | <b>55.5 x 55.5 x 38.5 mm</b> |

Subject to technical modifications. Special lengths and customized versions are available upon request.

## VARIANTS

|                   |                                             |
|-------------------|---------------------------------------------|
| ORDER NO.         | HOUSING COLOUR                              |
| <b>19.220.001</b> | <input type="radio"/> white                 |
| <b>19.220.003</b> | <input checked="" type="radio"/> anthracite |


## DIMENSIONAL DRAWING



55.5 x 55.5 x 38.5 mm

SWITCHES AND SOCKETS

SPACER FACEPLATE




TECHNICAL DATA

|                                                                                                         |                                      |
|---------------------------------------------------------------------------------------------------------|--------------------------------------|
| Dimensions                                                                                              | 60 x 60 x 10 mm                      |
| Remarks                                                                                                 | to reduce the fitting depth by 10 mm |
| Subject to technical modifications. Special lengths and customized versions are available upon request. |                                      |

VARIANTS

| ORDER NO.  | HOUSING COLOUR                              |
|------------|---------------------------------------------|
| 19.229.001 | <input type="radio"/> white                 |
| 19.229.003 | <input checked="" type="radio"/> anthracite |
| 19.229.006 | <input type="radio"/> matt chrome           |
| 19.229.009 | <input type="radio"/> stainless steel       |

## DIMENSIONAL DRAWING

**60 x 60 x 10 mm**

SWITCHES AND SOCKETS

BLANK COVER



TECHNICAL DATA


Dimensions 55.5 x 55.5 x 13.5 mm

Subject to technical modifications. Special lengths and customized versions are available upon request.

VARIANTS

| ORDER NO.  | HOUSING COLOUR                              |
|------------|---------------------------------------------|
| 19.230.001 | <input type="radio"/> white                 |
| 19.230.003 | <input checked="" type="radio"/> anthracite |
| 19.230.006 | <input type="radio"/> matt chrome           |
| 19.230.009 | <input type="radio"/> stainless steel       |

## DIMENSIONAL DRAWING



55.5 x 55.5 x 13.5 mm

SWITCHES AND SOCKETS

# SURFACE MOUNTED HOUSING, FLAT



## TECHNICAL DATA


|            |                 |
|------------|-----------------|
| Type       | for switches    |
| Dimensions | 60 x 60 x 16 mm |

Subject to technical modifications. Special lengths and customized versions are available upon request.

## VARIANTS

| ORDER NO. | HOUSING COLOUR                              |
|-----------|---------------------------------------------|
| 19.064.01 | <input type="radio"/> white                 |
| 19.064.03 | <input checked="" type="radio"/> anthracite |

## DIMENSIONAL DRAWING



60 x 60 x 16 mm

SWITCHES AND SOCKETS

# SURFACE MOUNTED HOUSING, DEEP



## TECHNICAL DATA

Type **for switches and sockets**


Dimensions **60 x 60 x 41 mm**

Subject to technical modifications. Special lengths and customized versions are available upon request.

## VARIANTS

| ORDER NO.        | HOUSING COLOUR                              |
|------------------|---------------------------------------------|
| <b>19.064.11</b> | <input type="radio"/> white                 |
| <b>19.064.13</b> | <input checked="" type="radio"/> anthracite |

## DIMENSIONAL DRAWING



**60 x 60 x 41 mm**

SWITCHES AND SOCKETS

CONTACT PROTECTION BOX



TECHNICAL DATA


|                     |                        |
|---------------------|------------------------|
| Type                | single                 |
| Dimensions          | Ø 45 x 35.5 mm         |
| Built-in dimensions | Ø 46 x 36.5            |
| Housing colour      | grey                   |
| Remarks             | cable exit at the side |

Subject to technical modifications. Special lengths and customized versions are available upon request.

VARIANTS

| ORDER NO. | HOUSING COLOUR                                                                           |
|-----------|------------------------------------------------------------------------------------------|
| 19.068.10 |  grey |

## DIMENSIONAL DRAWING



$\varnothing 45 \times 35.5 \text{ mm}$

SWITCHES AND SOCKETS

CONTACT PROTECTION BOX



TECHNICAL DATA


|                     |                        |
|---------------------|------------------------|
| Type                | double                 |
| Dimensions          | 109 x 49 x 38 mm       |
| Built-in dimensions | 110 x 50 x 39 mm       |
| Housing colour      | grey                   |
| Remarks             | cable exit at the side |

Subject to technical modifications. Special lengths and customized versions are available upon request.

VARIANTS

| ORDER NO. | HOUSING COLOUR                                                                           |
|-----------|------------------------------------------------------------------------------------------|
| 19.068.20 |  grey |

## DIMENSIONAL DRAWING

**109 x 49 x 38 mm**

SWITCHES AND SOCKETS

CONTACT PROTECTION BOX



TECHNICAL DATA


|                     |                        |
|---------------------|------------------------|
| Type                | tripple                |
| Dimensions          | 168 x 49 x 38 mm       |
| Built-in dimensions | 169 x 50 x 39 mm       |
| Housing colour      | grey                   |
| Remarks             | cable exit at the side |

Subject to technical modifications. Special lengths and customized versions are available upon request.

VARIANTS

|           |                                                                                          |
|-----------|------------------------------------------------------------------------------------------|
| ORDER NO. | HOUSING COLOUR                                                                           |
| 19.068.30 |  grey |

DIMENSIONAL DRAWING



168 x 49 x 38 mm

SWITCHES AND SOCKETS

CEE MULTI – SOCKET STRIP



WATTAGE

max. 500 Watt

INPUT VOLTAGE

230 Volt AC

TECHNICAL DATA


|                |                                         |
|----------------|-----------------------------------------|
| Input voltage  | 230 Volt AC                             |
| Wattage        | max. 500 Watt                           |
| Type           | 3000 mm feeder cable with CEE 7/17 plug |
| Dimensions     | 195 x 48 x 38 mm                        |
| Housing colour | white                                   |

Subject to technical modifications. Special lengths and customized versions are available upon request.

VARIANTS

|           |                             |
|-----------|-----------------------------|
| ORDER NO. | HOUSING COLOUR              |
| 39.010.01 | <input type="radio"/> white |

DIMENSIONAL DRAWING



195 x 48 x 38 mm

SWITCHES AND SOCKETS

MULTI – SOCKET STRIP

|                                                                                   |                 |               |
|-----------------------------------------------------------------------------------|-----------------|---------------|
|  | WATTAGE         | INPUT VOLTAGE |
|                                                                                   | max. 3,500 Watt | 230 Volt AC   |

TECHNICAL DATA


|                |                                                                                                  |
|----------------|--------------------------------------------------------------------------------------------------|
| Input voltage  | 230 Volt AC                                                                                      |
| Wattage        | 3500 Watt                                                                                        |
| Type           | 3000 mm feeder cable with earthed safety plug<br>4 - fold without switch<br>6 - fold with switch |
| Dimensions     | 207 x 57 x 40 mm / 310 x 52 x 40 mm                                                              |
| Housing colour | white                                                                                            |

Subject to technical modifications. Special lengths and customized versions are available upon request.

VARIANTS

|            |          |
|------------|----------|
| ORDER NO.  | TYPE     |
| 39.122.341 | 4 - fold |
| 39.122.361 | 6 - fold |

## DIMENSIONAL DRAWING



207 x 57 x 40 mm / 310 x 52 x 40 mm